DESCUE SECTION			
RESCUE SECTION			
PNEUMATIC POWERED TOOLS			
Description	Quantity	Inventory	Need
Air bag, lifting, high-pressure, Kevlar, High Pressure Lift Bag kit	1	0	1
Kit contains the following: 1 ea. #888110 / KPI-1 Air Bag, 1 ea. #890900 / Dual Deadman Controller, 1 ea. #890513 /			
16' Black Hose, 1 ea. #888140 / KPI-12 Air Bag, 1 ea. #895401 / Pressure Regulator, 1 ea.			
#890514 / 16' Blue Hose, 1 ea. #888150 / KPI-17			
Air Compressor	1	0	1
Gun, nail, pneumatic, 8D through 16D general purpose	1	0	1
Gun, nail, pneumatic, Air hose, 50' sections	4	0	4
Gun, nail, pneumatic, Nails, 8D, box	1	0	1
Gun, nail, pneumatic, Nails, 16D, box	1	0	1
Gun, Nail, pneumatic, Palm Nailer	2	0	2
RESCUE SECTION			
ELECTRIC POWERED TOOLS			
Description	Quantity	Inventory	Need
Cutter, Rebar, electric, maximum cutting capacity 1", or equivalent	1	0	1
Cutter, Rebar, electric, replacement tip set	2	0	2
Saw, electric, reciprocating, variable speed, heavy duty, w/ case, Cordless, 24 volt	1	0	1
Saw, battery, for cordless reciprocating saw	2	0	2
Saw, reciprocating, Bottle, spray, plastic, w/ soap solution	2	0	2
Saw, reciprocating, Blades reciprocating bi-metal, shatterproof, adequate supply	1	0	1
Saw, reciprocating, Blades reciprocating wood-cutting, shatterproof, adequate supply	1	0	1
Saw, circular, electric, 10-¼" heavy-duty w/ case, Worm drive	1	0	1
Saw, circular, electric, 7-¼" heavy-duty w/ case	1	0	1
Saw, circular, Blades, 7¼" circular carbide tip, combination rip/crosscut	6	0	6
Saw, circular, Blades, 10-1/4" circular, carbide tip, combination rip/crosscut	6	0	6
RESCUE SECTION			
HYDRAULIC TOOLS			
HTDRAULIC TOOLS			
Description	Quantity	Inventory	Need
	Quantity 1	Inventory 0	Need 1
Description	-	-	
Description Power Unit Or Electric Battery Charger and Spare Batteries	1	0	1
Description  Power Unit Or Electric Battery Charger and Spare Batteries  Spreaders Or Electric Equivalent	1	0	1
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent	1 1 1	0 0 0	1 1 1
Description  Power Unit Or Electric Battery Charger and Spare Batteries  Spreaders Or Electric Equivalent  Cutters Or Electric Equivalent  Telescoping Ram, T-41 or Electric Equivalent	1 1 1	0 0 0	1 1 1
Description  Power Unit Or Electric Battery Charger and Spare Batteries  Spreaders Or Electric Equivalent  Cutters Or Electric Equivalent  Telescoping Ram, T-41 or Electric Equivalent  Orange 30' Extension Hose/ not needed with electric option	1 1 1 1 1 3	0 0 0 0	1 1 1 1 3
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option	1 1 1 1 3 3	0 0 0 0 0	1 1 1 1 3 3
Power Unit Or Electric Battery Charger and Spare Batteries  Spreaders Or Electric Equivalent  Cutters Or Electric Equivalent  Telescoping Ram, T-41 or Electric Equivalent  Orange 30' Extension Hose/ not needed with electric option  Blue 30' Extension Hose/ not needed with electric option  Hydraulic Fluid/ not needed with electric option	1 1 1 1 3 3	0 0 0 0 0 0	1 1 1 1 3 3
Power Unit Or Electric Battery Charger and Spare Batteries  Spreaders Or Electric Equivalent  Cutters Or Electric Equivalent  Telescoping Ram, T-41 or Electric Equivalent  Orange 30' Extension Hose/ not needed with electric option  Blue 30' Extension Hose/ not needed with electric option  Hydraulic Fluid/ not needed with electric option  Breaker, hydraulic 45 lb.	1 1 1 1 3 3 3 1	0 0 0 0 0 0 0	1 1 1 1 3 3 1
Power Unit Or Electric Battery Charger and Spare Batteries  Spreaders Or Electric Equivalent  Cutters Or Electric Equivalent  Telescoping Ram, T-41 or Electric Equivalent  Orange 30' Extension Hose/ not needed with electric option  Blue 30' Extension Hose/ not needed with electric option  Hydraulic Fluid/ not needed with electric option  Breaker, hydraulic 45 lb.  Bit, Moil Point, 14", Hydraulic Breaker	1 1 1 1 3 3 3 1 1	0 0 0 0 0 0 0 0	1 1 1 1 3 3 1 1
Power Unit Or Electric Battery Charger and Spare Batteries  Spreaders Or Electric Equivalent  Cutters Or Electric Equivalent  Telescoping Ram, T-41 or Electric Equivalent  Orange 30' Extension Hose/ not needed with electric option  Blue 30' Extension Hose/ not needed with electric option  Hydraulic Fluid/ not needed with electric option  Breaker, hydraulic 45 lb.  Bit, Moil Point, 14", Hydraulic Breaker  Bit, Chisel, 3" x 14", Hydraulic Breaker	1 1 1 1 3 3 3 1 1 1	0 0 0 0 0 0 0 0	1 1 1 1 3 3 1 1 1
Power Unit Or Electric Battery Charger and Spare Batteries  Spreaders Or Electric Equivalent  Cutters Or Electric Equivalent  Telescoping Ram, T-41 or Electric Equivalent  Orange 30' Extension Hose/ not needed with electric option  Blue 30' Extension Hose/ not needed with electric option  Hydraulic Fluid/ not needed with electric option  Hydraulic Fluid/ not needed with electric option  Breaker, hydraulic 45 lb.  Bit, Moil Point, 14", Hydraulic Breaker  Bit, Chisel, 3" x 14", Hydraulic Breaker  Bit, Chisel, 1" x 14", Hydraulic Breaker  Saw, Chain, Diamond Segmented, 15", Concretete Cutting, Hydraulic  Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel	1 1 1 1 3 3 3 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Saw, Chain, Diamond Segmented, 15", Concretee Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing)	1 1 1 1 3 3 3 1 1 1 1 1	0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Saw, Chain, Diamond Segmented, 15", Concrete Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing) Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel	1 1 1 1 3 3 3 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Saw, Chain, Diamond Segmented, 15", Concrete Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing) Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing)	1 1 1 1 3 3 3 1 1 1 1 1 1 1 1 2 2 2	0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1 1 2
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Saw, Chain, Diamond Segmented, 15", Concretee Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing) Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing) Stanley Concrete chain saw, hydraulic, Chain service kit or equivalent	1 1 1 1 3 3 3 1 1 1 1 1 1 1 1 2 2 2 1 1	0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1 1 2 2
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Saw, Chain, Diamond Segmented, 15", Concretee Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing) Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing) Stanley Concrete chain saw, hydraulic, Chain service kit or equivalent Stanley Concrete chain saw, hydraulic, Saw bar, 15" or equivalent	1 1 1 1 3 3 3 1 1 1 1 1 1 1 1 2 2 2 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1 1 2 2
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Saw, Chain, Diamond Segmented, 15", Concretee Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing) Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing) Stanley Concrete chain saw, hydraulic, Chain service kit or equivalent Stanley Concrete chain saw, hydraulic, Saw bar, 15" or equivalent Stanley Concrete chain saw, hydraulic, Water pump accessory or equivalent	1 1 1 1 3 3 3 1 1 1 1 1 1 1 2 2 2 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 1 1
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Saw, Chain, Diamond Segmented, 15", Concretee Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing) Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing) Stanley Concrete chain saw, hydraulic, Chain service kit or equivalent Stanley Concrete chain saw, hydraulic, Saw bar, 15" or equivalent Stanley Concrete chain saw, hydraulic, Water pump accessory or equivalent Dedicated water supply with garden hoses and manifold for Hydraulic systems	1 1 1 1 3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 1 1 0 1
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Saw, Chain, Diamond Segmented, 15", Concrete Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing) Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing) Stanley Concrete chain saw, hydraulic, Chain service kit or equivalent Stanley Concrete chain saw, hydraulic, Saw bar, 15" or equivalent Stanley Concrete chain saw, hydraulic, Water pump accessory or equivalent Dedicated water supply with garden hoses and manifold for Hydraulic systems Core Drill with Drill Bits	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 1 1
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Saw, Chain, Diamond Segmented, 15", Concrete Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing) Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing) Stanley Concrete chain saw, hydraulic, Chain service kit or equivalent Stanley Concrete chain saw, hydraulic, Saw bar, 15" or equivalent Stanley Concrete chain saw, hydraulic, Water pump accessory or equivalent Dedicated water supply with garden hoses and manifold for Hydraulic systems Core Drill with Drill Bits Power unit, hydraulic, medium-duty, compact, w/non-spillable type battery	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 1 1 0 1
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Saw, Chain, Diamond Segmented, 15", Concrete Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing) Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing) Stanley Concrete chain saw, hydraulic, Chain service kit or equivalent Stanley Concrete chain saw, hydraulic, Saw bar, 15" or equivalent Stanley Concrete chain saw, hydraulic, Water pump accessory or equivalent Dedicated water supply with garden hoses and manifold for Hydraulic systems Core Drill with Drill Bits Power unit, hydraulic, 1/2" X 50 ft.	1 1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 2 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 1 1 0 1
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Saw, Chain, Diamond Segmented, 15", Concrete Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing) Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing) Stanley Concrete chain saw, hydraulic, Chain service kit or equivalent Stanley Concrete chain saw, hydraulic, Saw bar, 15" or equivalent Stanley Concrete chain saw, hydraulic, Water pump accessory or equivalent Dedicated water supply with garden hoses and manifold for Hydraulic systems Core Drill with Drill Bits Power unit, hydraulic, medium-duty, compact, w/non-spillable type battery Hoses,Dual, Hydraulic, 1/2" X 50 ft. Couplings, hydraulic, flush face, 3/8" NPT	1 1 1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 1 1 0 1
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Saw, Chain, Diamond Segmented, 15", Concrete Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing) Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing) Stanley Concrete chain saw, hydraulic, Chain service kit or equivalent Stanley Concrete chain saw, hydraulic, Saw bar, 15" or equivalent Stanley Concrete chain saw, hydraulic, Water pump accessory or equivalent Dedicated water supply with garden hoses and manifold for Hydraulic systems Core Drill with Drill Bits Power unit, hydraulic, medium-duty, compact, w/non-spillable type battery Hoses, Dual, Hydraulic, flush face, 3/8" NPT Couplings, hydraulic, flush face, 1/2" NPT	1 1 1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 1 1 0 1
Power Unit Or Electric Battery Charger and Spare Batteries  Spreaders Or Electric Equivalent  Cutters Or Electric Equivalent  Telescoping Ram, T-41 or Electric Equivalent  Orange 30' Extension Hose/ not needed with electric option  Blue 30' Extension Hose/ not needed with electric option  Hydraulic Fluid/ not needed with electric option  Hydraulic Fluid/ not needed with electric option  Breaker, hydraulic 45 lb.  Bit, Moil Point, 14", Hydraulic Breaker  Bit, Chisel, 3" x 14", Hydraulic Breaker  Bit, Chisel, 1" x 14", Hydraulic Breaker  Saw, Chain, Diamond Segmented, 15", Concrete Cutting, Hydraulic  Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing)  Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing)  Stanley Concrete chain saw, hydraulic, Chain service kit or equivalent  Stanley Concrete chain saw, hydraulic, Saw bar, 15" or equivalent  Stanley Concrete chain saw, hydraulic, Water pump accessory or equivalent  Dedicated water supply with garden hoses and manifold for Hydraulic systems  Core Drill with Drill Bits  Power unit, hydraulic, medium-duty, compact, w/non-spillable type battery  Hoses, Dual, Hydraulic, flush face, 3/8" NPT  Couplings, hydraulic, flush face, 1/2" NPT  Filter, Air, for power unit	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 1 1 0 1
Power Unit Or Electric Battery Charger and Spare Batteries Spreaders Or Electric Equivalent Cutters Or Electric Equivalent Telescoping Ram, T-41 or Electric Equivalent Orange 30' Extension Hose/ not needed with electric option Blue 30' Extension Hose/ not needed with electric option Hydraulic Fluid/ not needed with electric option Breaker, hydraulic 45 lb. Bit, Moil Point, 14", Hydraulic Breaker Bit, Chisel, 3" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Bit, Chisel, 1" x 14", Hydraulic Breaker Chain, Diamond Segmented, 15", Concrete Cutting, Hydraulic Chain, Diamond segment, 15", Concrete cutting, hydraulic, (hard concrete, heavy steel reinforcing) Chain, Diamond segment, 15", Concrete cutting, hydraulic, (moderate concrete, heavy steel reinforcing) Stanley Concrete chain saw, hydraulic, Chain service kit or equivalent Stanley Concrete chain saw, hydraulic, Saw bar, 15" or equivalent Stanley Concrete chain saw, hydraulic, Water pump accessory or equivalent Dedicated water supply with garden hoses and manifold for Hydraulic systems Core Drill with Drill Bits Power unit, hydraulic, medium-duty, compact, w/non-spillable type battery Hoses, Dual, Hydraulic, flush face, 3/8" NPT Couplings, hydraulic, flush face, 1/2" NPT	1 1 1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 3 3 3 1 1 1 1 1 1 2 2 1 1 0 1

CACHE (02/ 2020)			
RESCUE SECTION			
POWER TOOLS			
Description	Quantity	Inventory	Need
Saw, Chainsaw, 18-24" gasoline-powered, 2 cycle, direct drive	1	0	1
Saw, Chain, 18-24" Wood chisel blades	1	0	1
Saw, 18-24" Bar roller tip	1	0	1
Saw, chainsaw, 16" gasoline-powered, 2 cycle, direct drive	1	0	1
Saw, chain, 16", Wood chisel blades	2	0	2
Saw, 16" Bar roller tip	1	0	1
Saw, chaps	2	0	2
Saw, chain, 16" gasoline-powered, Saw maintenance kit, field, (fuel/oil mix, bar oil, hand tools, belt or scabbard)	1	0	1
Husqvarna Equipment K970 6HP 14" Gas Concrete Cut Off Power Saw	1	0	1
Spark plugs, Saw, gasoline, 14"power rotary	2	0	2
Filter, Air, Saw, gasoline, 14", rotary saw	2	0	2
Blades, Diamond Tip, reinforced concrete-cutting, 14", power rotary saw	2	0	2
Blade, Diamond Tip, 14", power rotary saw	1	0	1
RESCUE SECTION			
MISCELLANEOUS TOOLS & EQUIPMENT	Oversity	Inventory	Need
Description Technology (1997)	Quantity	Inventory	Need
Torch oxy/acetylene kits, large bore, w/attachments (gauges, hoses, wands, strikers, adapters & safety equipment)	1	0	1
Regulator, Oxygen, for Oxy-Acetylene System	1	0	1
Regulator, Acetylene, for Oxy-Acetylene system	1	0	1
Goggle Set, #5	1	0	1
Gloves, Welding	1	0	1
Gauge Protector, Metal, Green	1	0	1
	1	0	1
Gauge Protector, Metal, Red	1		
Tip, Size 0, Oxy-Acetylene Torch (spare)		0	1
Tip, Size 1, Oxy-Acetylene Torch (spare)	1	0	1
Tip, Size 3, Oxy-Acetylene Torch (spare)	1	0	1
Striker, Oxy-Acetylene Torch	1	0	1
Welding cart for 2 cylinder w/20" steel wheels, industrial environment	1	0	1
Shore, Expandable, 16 Shore Trench Kit	1	0	1
Acme Thread Strut, 12 - 15"	2	0	2
Acme Thread Strut, 18.8 - 24.5"	6	0	6
Acme Thread Strut, 24.8 - 35.4"	4	0	4
Acme Thread Strut, 36.6 - 58.3"	2	0	2
Lockstroke Strut, 24.4 - 36.6"	2	0	2
Strut Extension, 6"	4	0	4
Strut Extension, 12"	6	0	6
Strut Extension, 24"	6	0	6
Dual Deadman Strut Controller 300PSI	1	0	1
Strut/Airgun Regulator, 6000 - 300PSI	1	0	1
Air Hose, 3/8" dia. X 32ft - Yellow	2	0	2
Air Hose, 3/8" dia. X 32ft - Red	2	0	2
Air Hose, 3/8" dia. X 16ft - Black	1	0	1
Y Connector 2 (2 couplings, 1 nipple)	2	0	2
Square Swivel Base, 6"	24	0	24
Square Rigid Base, 6"	8	0	8
Shoring Hammer	4	0	4
Trench Cushion Kit (consists of items listed below)	1	0	1
Trench Cushion 18" Lift, 3.25 Ton	2	0	2
Single Trench Cushion Controller, 7.25PSI	2	0	2
Air Hose, 1" dia. X 20ft - Red	1	0	1
Air Hose, 1" dia. X 20ft - Blue	1	0	1
Air Hose, 3/8" dia. X 16ft - Black	1	0	1
Air Gun 40 Chisel Kit, pneumatic (300 psi), complete, w/ accessories	1	0	1
Hammer, Demolition, electric, 40 lb., with case	1	0	1
Bit, Moil/Bull point, 10", 40lb Demolition Hammer	2	0	2
Bit, Moil/Bull, 18", 40lb Demolition Hammer	2	0	2
Significant to , Tolo Domondon Hammor			۷

	1	1	1
Bit, Chisel Point, 1" x 14", 40lb Demolition Hammer	2	0	2
Bit, Chisel Point, 1" x 18", 40lb Demolition Hammer	2	0	2
Hammer, Demolition, 60 lb., w/case	1	0	1
Bit, Moil/Bull point, 10", 60 lb. Demolition Hammer	2	0	2
Bit, Moil/Bull point, 18", 60 lb. Demolition Hammer	2	0	2
Bit, Chisel point, 14" 60 lb. Demolition Hammer	2	0	2
Bit, Chisel point, 1" x 18", 60 lb. Demolition Hammer	2	0	2
Bit, Moil point, 20", 60 lb. Demolition Hammer	2	0	2
RESCUE SECTION			_
MISCELLANEOUS TOOLS & EQUIPMENT			
Description	Quantity	Inventory	Need
Ground Rod Driver, 1 1/8" Hex x 15", 60 lb. Demolition Hammer	2		
		0	2
Bit, Chisel Point, 20" Narrow, 60 lb. Demolition Hammer	2		2
Drill/Hammer, electric, 1/2" variable speed, industrial grade w/ case	1	0	1
Bits, Drill, steel, 15 piece set, general purpose, 1/16" - 1/2"	1	0	1
Bits, Drill, carbide tip, Masonary, set 1/4" - 1/2"	1	0	1
Clamps, Ellis Shore	40	0	40
Clamps, Ellis Shore Jack Wrench	1	0	1
Ellis Screw Jacks	20	0	20
Finn Board, 4' X 4' X 8' Sheet with 2" X 12" X 12' Strong Back	10	0	10
Plywood, 4' x 8' x 3/4" (subject to current cost of lumber)	2	0	2
Ground Pad, 2' X 8' X 5/8" (subject to current cost of lumber)	12	0	12
Whaler, 6" X 6" X 8' (subject to current cost of lumber)	4	0	4
Whaler, 6" X 6" X 12' (subject to current cost of lumber)	4	0	4
Pressure Treated Lumber, 4" X 4" X 8' (subject to current cost of lumber)	25	0	25
Pressure Treated Lumber, 2" X 4" X 8' (subject to current cost of lumber)	25	0	25
Common Lumber, 2" X 4" X 8' (subject to current cost of lumber)	25	0	25
Common Lumber, 2" X 6" X 12' (subject to current cost of lumber)	12	0	12
Gusset Plate, 6" X 12" X 3/4" (subject to current cost of lumber)	25	0	25
Gusset Plate, 12" X 12" X 3/4" (subject to current cost of lumber)	12	0	12
Gusset Plate, 18" X 18" X 3/4" (subject to current cost of lumber)	12	0	12
4"x4"x18" PT Cribbing (subject to current cost of lumber)	75	0	75
2"x4"x18" PT Cribbing (subject to current cost of lumber)	75	0	75
4"x4"x18" PT Wedges (subject to current cost of lumber)	24	0	24
2"x4"x18" PT Wedges (subject to current cost of lumber)	12	0	12
Ladder, 14' (+/-) extension/straight	4	0	4
Vehicle Stabilization Struts	2	0	2
RESCUE SECTION			
HAND TOOLS			
Description	Quantity	Inventory	Need
Axe, flat head, with fiberglass handle	1	0	1
Axe, Pick head, with fiberglass handle	1	0	1
Bar, pry, pinch point 60"	4	0	4
Bar, Halagon	4	0	4
Bar, wrecking 18"	2	0	2
Bar, wrecking 10"	2	0	2
, 3	6	0	6
Belt, carpenter, quick disconnects, with 2 pouches		-	
Chisel, cold, diamond point, 8"	2	0	2
Crayon, lumber, assorted colors	6	0	6
Cutter, bolt, 36"	1	0	1
Hacksaw, high tension, contractor grade	2	0	2
Hacksaw, Blades, 12" - 18 teeth per inch, shatterproof	3	0	3
Hacksaw, Blades, 12" - 24 teeth per inch shatterproof	3	0	3
Hammer, sledge, 3 or 4 lb.	2	0	2
Hammer, sledge, 10 or 12 lb.	2	0	2
Hammer, framing straight claw, 22 oz., steel, mill face	6	0	6
Level, Torpedo	6	0	6
Level, 4 ft.	1	0	1
Nails, common, 16D, Duplex, pound	25	0	25
Nails, common, 8D, Duplex, pound	25	0	25
Paint, spray, fluorescent, Case	1	0	1

Pencils, carpenter	8	0	8
Saw, 8-point, cross cut, hand	2	0	2
Shovel, 60", straight handle, spade point	4	0	4
Shovel, 60", straight handle, square point	4	0	4
Shovel, 30", D handle, square point	4	0	4
Square, speed	2	0	2
Square, framing, 2 ft.	2	0	2
Tape, measuring, 30' power return, 1" blade width	6	0	6
RESCUE SECTION			
HEAVY RIGGING  Description	Quantity	Inventory	Need
Cable, come-along, 3-ton	1	0	1
Chain, 3/8"x10', grade 8, lifting, with Clevis, slip hooks and latches	1	0	1
, , , , , , , , , , , , , , , , , , , ,		_	
Chain, 3/8"x 20', grade 8, lifting, with Clevis, slip hook and latches	2	0	2
Field Operations Guide, SCT, Corps of Engineers	2	U	2
RESCUE SECTION PATIENT IMMOBILIZATION / EXTRICATION			
Description	Quantity	Inventory	Need
Stretcher system, Sked or equivalent	1	0	1
Stretcher system, Traverse Rescue Stretcher	1	0	1
Cervical Collars or equivalent pediatric (Stiffneck or equivalent)	4	0	4
Cervical Collars adjustable (Stiffneck or equivalent)	8	0	8
Cervical Collars Pediatric No Neck (Stiffneck or equivalent)	2	0	2
Half Backboard, LSP Halfback or Yates Spec Pak	1	0	1
Head Immobilizer disposable, adult	2	0	2
Longboards w, Straps (Henley or equiv.), Stokes compatible	1	0	1
Pediatric immobilization boards or equivalent (complete w/ case)	1	0	1
Stretcher, Rescue, Pre-Rig Kits	1	0	1
Stretcher, Rescue, without Leg Separators (Traverse Titan Ti)	1	0	1
Straps, Backboard, 9 ft., nylon	4	0	4
RESCUE SECTION			
RESCUE SECTION TECHNICAL ROPE & CONFINED SPACE			
	Quantity	Inventory	Need
TECHNICAL ROPE & CONFINED SPACE	2	Inventory 0	2
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.		-	
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender	2 4 4	0 0 0	2 4 4
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)	2 4 4 6	0 0 0	2 4 4 6
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA	2 4 4 6 2	0 0 0 0	2 4 4 6 2
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE	2 4 4 6 2 4	0 0 0 0 0	2 4 4 6 2 4
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard	2 4 4 6 2 4 4	0 0 0 0 0	2 4 4 6 2 4 4
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller	2 4 4 6 2 4 4 2	0 0 0 0 0 0	2 4 4 6 2 4 4 2
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage	2 4 4 6 2 4 4 2 6	0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS	2 4 4 6 2 4 4 2 6 6	0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set	2 4 4 6 2 4 4 2 6 6 6 4	0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 6 4
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set  Plate, Anchor	2 4 4 6 2 4 4 2 6 6 6 4 2	0 0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 4 2
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set  Plate, Anchor  Pulley, 2", rescue grade, prusik-minding, aluminum frame, single sheave for ½" rope	2 4 4 6 2 4 4 2 6 6 4 2 3	0 0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 4 2 3
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set  Plate, Anchor  Pulley, 2", rescue grade, prusik-minding, aluminum frame, single sheave for ½" rope  Double Prusik-minding pulley	2 4 4 6 2 4 4 2 6 6 6 4 2	0 0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 4 2
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set  Plate, Anchor  Pulley, 2", rescue grade, prusik-minding, aluminum frame, single sheave for ½" rope	2 4 4 6 2 4 4 2 6 6 4 2 3	0 0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 4 2 3
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set  Plate, Anchor  Pulley, 2", rescue grade, prusik-minding, aluminum frame, single sheave for ½" rope  Double Prusik-minding pulley  Rope, lifeline, 300' lengths of nylon static, Kernmantle, 1/2" diameter, minimum tensile strength (MTS) 9000 lbs., must meet or exceed NFPA 1983, w/ bag and edge guards (Four Colors)  Carabiners, steel, locking "D", extra large, 10,000 tensile strength, must meet NFPA 1983/ANSI/OSHA requirements	2 4 4 6 2 4 4 2 6 6 6 4 2 3 2	0 0 0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 4 2 3 2
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set  Plate, Anchor  Pulley, 2", rescue grade, prusik-minding, aluminum frame, single sheave for ½" rope  Double Prusik-minding pulley  Rope, lifeline, 300' lengths of nylon static, Kernmantle, 1/2" diameter, minimum tensile strength (MTS) 9000 lbs., must meet or exceed NFPA 1983, w/ bag and edge guards (Four Colors)  Carabiners, steel, locking "D", extra large, 10,000 tensile strength, must meet NFPA 1983/ANSI/OSHA requirements  Rope, nylon, tag line, 200' lengths of 8mm, MTS 2,600 lbs., must meet or exceed NFPA	2 4 4 6 2 4 4 2 6 6 4 2 3 2	0 0 0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 4 2 3 2
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set  Plate, Anchor  Pulley, 2", rescue grade, prusik-minding, aluminum frame, single sheave for ½" rope  Double Prusik-minding pulley  Rope, lifeline, 300' lengths of nylon static, Kernmantle, 1/2" diameter, minimum tensile strength (MTS) 9000 lbs., must meet or exceed NFPA 1983, w/ bag and edge guards (Four Colors)  Carabiners, steel, locking "D", extra large, 10,000 tensile strength, must meet NFPA 1983/ANSI/OSHA requirements  Rope, nylon, tag line, 200' lengths of 8mm, MTS 2,600 lbs., must meet or exceed NFPA 1983, w/ bag	2 4 4 6 2 4 4 2 6 6 4 2 3 2 4	0 0 0 0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 4 2 3 2 4
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set  Plate, Anchor  Pulley, 2", rescue grade, prusik-minding, aluminum frame, single sheave for ½" rope  Double Prusik-minding pulley  Rope, lifeline, 300' lengths of nylon static, Kernmantle, 1/2" diameter, minimum tensile strength (MTS) 9000 lbs., must meet or exceed NFPA 1983, w/ bag and edge guards (Four Colors)  Carabiners, steel, locking "D", extra large, 10,000 tensile strength, must meet NFPA 1983/ANSI/OSHA requirements  Rope, nylon, tag line, 200' lengths of 8mm, MTS 2,600 lbs., must meet or exceed NFPA	2 4 4 6 2 4 4 2 6 6 4 2 3 2 4	0 0 0 0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 4 2 3 2 4
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set  Plate, Anchor  Pulley, 2", rescue grade, prusik-minding, aluminum frame, single sheave for ½" rope  Double Prusik-minding pulley  Rope, lifeline, 300' lengths of nylon static, Kernmantle, 1/2" diameter, minimum tensile strength (MTS) 9000 lbs., must meet or exceed NFPA 1983, w/ bag and edge guards (Four Colors)  Carabiners, steel, locking "D", extra large, 10,000 tensile strength, must meet NFPA 1983/ANSI/OSHA requirements  Rope, nylon, tag line, 200' lengths of 8mm, MTS 2,600 lbs., must meet or exceed NFPA 1983, w/ bag  RESCUE SECTION  TECHNICAL ROPE & CONFINED SPACE  Description	2 4 4 6 2 4 4 2 6 6 6 4 2 3 2 4 16 1	0 0 0 0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 6 4 2 3 2 4 16 1
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set  Plate, Anchor  Pulley, 2", rescue grade, prusik-minding, aluminum frame, single sheave for ½" rope  Double Prusik-minding pulley  Rope, lifeline, 300' lengths of nylon static, Kernmantle, 1/2" diameter, minimum tensile strength (MTS) 9000 lbs., must meet or exceed NFPA 1983, w/ bag and edge guards (Four Colors)  Carabiners, steel, locking "D", extra large, 10,000 tensile strength, must meet NFPA 1983/ANSI/OSHA requirements  Rope, nylon, tag line, 200' lengths of 8mm, MTS 2,600 lbs., must meet or exceed NFPA 1983, w/ bag  RESCUE SECTION  TECHNICAL ROPE & CONFINED SPACE  Description  Strap, Rescue Pick-Off	2 4 4 6 2 4 4 2 6 6 6 4 2 3 2 4 16 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 6 4 2 3 2 4 16
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope edge roller  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" "SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set  Plate, Anchor  Pulley, 2", rescue grade, prusik-minding, aluminum frame, single sheave for ½" rope  Double Prusik-minding pulley  Rope, lifeline, 300' lengths of nylon static, Kernmantle, 1/2" diameter, minimum tensile strength (MTS) 9000 lbs., must meet or exceed NFPA 1983, w/ bag and edge guards (Four Colors)  Carabiners, steel, locking "D", extra large, 10,000 tensile strength, must meet NFPA 1983/ANSI/OSHA requirements  Rope, nylon, tag line, 200' lengths of 8mm, MTS 2,600 lbs., must meet or exceed NFPA 1983, w/ bag  RESCUE SECTION  TECHNICAL ROPE & CONFINED SPACE  Description  Strap, Rescue Pick-Off  Webbing, Tubular, 2", MTS 6,000 lbs., Feet	2 4 4 6 2 4 4 2 6 6 6 4 2 3 2 4 16 1 Quantity 2 150	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 6 4 2 3 2 4 16 1 Need 2 150
TECHNICAL ROPE & CONFINED SPACE  Description  Sling, RSI OMNI or equivalent  Descenders, figure 8, with ears, MTS (min. tensile strength) 10,000 lbs.  Ascenders, caming device for ½" rope, Petzl Rescucender  Harness, full body (NFPA-approved Class III, confined space compliant)  Rack, Rappel, 6 bar, NFPA  Rope edge protector, Velcro - LARGE  Rope edge protector, Chafing Guard  Rope log, book, rope usage  Bag, Rope hardware, Cordura, 20" x 10" x 4" *SPECIFY COLORS  Bag, water rescue throw, 75' Redi-Line Bag Set  Plate, Anchor  Pulley, 2", rescue grade, prusik-minding, aluminum frame, single sheave for ½" rope  Double Prusik-minding pulley  Rope, lifeline, 300' lengths of nylon static, Kernmantle, 1/2" diameter, minimum tensile strength (MTS) 9000 lbs., must meet or exceed NFPA 1983, w/ bag and edge guards (Four Colors)  Carabiners, steel, locking "D", extra large, 10,000 tensile strength, must meet NFPA 1983/ANSI/OSHA requirements  Rope, nylon, tag line, 200' lengths of 8mm, MTS 2,600 lbs., must meet or exceed NFPA 1983, w/ bag  RESCUE SECTION  TECHNICAL ROPE & CONFINED SPACE  Description  Strap, Rescue Pick-Off	2 4 4 6 2 4 4 2 6 6 6 4 2 3 2 4 16 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 4 4 6 2 4 4 2 6 6 6 4 2 3 2 4 16 1

Anchor strap	8	0	8
Swivel	2	0	2
Tripod, tubular aluminum, or Arizona Vortex Rescue System, adjustable between 6' & 8', minimum work load of 600 lbs.	1	0	1
Blower, ventilation, for confined space, electric, (NIOSH/OSHA compliant & intrinsically rated)	4	0	
	1	0	1
Duct, 8"x 25', Reinforced, in carry bag,	2	0	2
Adapter, Inlet Duct	2	0	2
Communications system, hard-wire, 29CFR 1910.146 compliant OSHA confined spaces	1	0	1
Power Talk Box	1	0	1
Module, Command	1	0	1
Face Mask Rescuer Set	4	0	4
Harness, Speaker	4	0	4
Headset	1	0	1
Splitter, Double	1	0	1
Cable, Operator, 1'	1	0	1
Cable, 50'	1	0	1
Cable, Intercom, 100'	1	0	4
Cable, Operator, 20'	1	0	1
Aircart, portable supplied air system, NIOSH/OSHA compliant or equivalent, with Hansen		-	
fittings	1	0	1
Breathing apparatus, airline-supplied (SABA), with 10-minute escape cylinder, NIOSH/OSHA	4	0	4
approved	4	0	4
Cylinder, Breathing apparatus, 1-hour, 4500 psi, (spare)	4	0	4
Mask, face piece, compatible w/ SCBA, supplied air system, (spare)	4	0	4
Line, supply, 50', breathing air quality, compatible with SCBA & supplied air system	24	0	24
RESCUE SECTION			
SWIFTWATER/FLOOD CAPABLE TEAM MEMBER PPE			
Description	Quantity	Inventory	Need
Swiftwater/Flood SAR helmet	1 per	0	1
Headlamp and batteries	1 per	0	1
Eye and hearing protection	•	0	1
	1 per		
Breathing protection	1 per	0	1
Uniform/protective clothing	1 per	0	1
·			
Gloves for water	1 per	0	1
Gloves for water Footwear for water	1 per 1 per	0	1
Gloves for water Footwear for water Dry suit			
Gloves for water Footwear for water	1 per	0	1
Gloves for water Footwear for water Dry suit	1 per 1 per	0	1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD)	1 per 1 per 1 per	0 0 0	1 1 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag	1 per 1 per 1 per 4	0 0 0 0	1 1 1 4
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board	1 per 1 per 1 per 4	0 0 0 0	1 1 1 4
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS	1 per 1 per 1 per 4 1 per	0 0 0 0 0 0	1 1 1 4
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS Description	1 per 1 per 1 per 4 1 per	0 0 0 0 0	1 1 1 4 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit	1 per 1 per 1 per 4 1 per	0 0 0 0 0 0	1 1 1 4
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS Description  BLS Kit Basic Life Support Kit to care for 6 crew members or victims that meets requirements for	1 per 1 per 1 per 4 1 per	0 0 0 0 0	1 1 1 4 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit	1 per 1 per 1 per 4 1 per	0 0 0 0 0	1 1 1 4 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit  Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.	1 per 1 per 1 per 4 1 per Quantity 1	0 0 0 0 0 0	1 1 1 4 1 1 Need 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit  Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code. Trauma/ALS Kit (optional)	1 per 1 per 1 per 4 1 per Quantity 1	0 0 0 0 0 0	1 1 1 4 1 1 Need 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit  Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  Trauma/ALS Kit (optional)  Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.	1 per 1 per 1 per 4 1 per Quantity 1	0 0 0 0 0 0	1 1 1 4 1 1 Need 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit  Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  Trauma/ALS Kit (optional)  Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  TECHNICAL SECTION	1 per 1 per 1 per 4 1 per Quantity 1	0 0 0 0 0 0	1 1 1 4 1 1 Need 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code. Trauma/ALS Kit (optional) Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  TECHNICAL SECTION  HAZARDOUS MATERIALS SPECIALIST EQUIPMENT	1 per 1 per 1 per 4 1 per  4 1 per  1 per 4 1 per	0 0 0 0 0 0	1 1 1 4 1 Need 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code. Trauma/ALS Kit (optional) Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  TECHNICAL SECTION  HAZARDOUS MATERIALS SPECIALIST EQUIPMENT Description	1 per 1 per 1 per 4 1 per Quantity 1	0 0 0 0 0 0	1 1 1 4 1 1 Need 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code. Trauma/ALS Kit (optional) Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  TECHNICAL SECTION  HAZARDOUS MATERIALS SPECIALIST EQUIPMENT	1 per 1 per 1 per 4 1 per  4 1 per  1 per 4 1 per	0 0 0 0 0 0	1 1 1 4 1 Need 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit  Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code. Trauma/ALS Kit (optional)  Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  TECHNICAL SECTION  HAZARDOUS MATERIALS SPECIALIST EQUIPMENT  Description  Monitor, portable, battery operated multi-function device KIT, 4-Gas, capable of monitoring LEL, O2 level, CO presence and H2S (or appropriate toxic sensor), w/ accessories, extra	1 per 1 per 1 per 4 1 per Quantity 1	0 0 0 0 0 0 Inventory	1 1 1 4 1 1 Need 1 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit  Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code. Trauma/ALS Kit (optional)  Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  TECHNICAL SECTION  HAZARDOUS MATERIALS SPECIALIST EQUIPMENT  Description  Monitor, portable, battery operated multi-function device KIT, 4-Gas, capable of monitoring LEL, O2 level, CO presence and H2S (or appropriate toxic sensor), w/ accessories, extra batteries	1 per 1 per 1 per 4 1 per 4 1 per 4 1 per  Quantity 1	0 0 0 0 0 0 0 Inventory 0	1 1 1 4 1 1 Need 1 1
Gloves for water Footwear for water  Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION  KITS  Description  BLS Kit Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  Trauma/ALS Kit (optional)  Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  TECHNICAL SECTION  HAZARDOUS MATERIALS SPECIALIST EQUIPMENT  Description  Monitor, portable, battery operated multi-function device KIT, 4-Gas, capable of monitoring LEL, O2 level, CO presence and H2S (or appropriate toxic sensor), w/ accessories, extra batteries  Current ERG guide  NIOSH Guide	1 per 1 per 1 per 4 1 per 4 1 per 4 1 per  Quantity 1 1	0 0 0 0 0 0 Inventory 0	1 1 1 4 1 1 Need 1 1 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit  Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  Trauma/ALS Kit (optional)  Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  TECHNICAL SECTION  HAZARDOUS MATERIALS SPECIALIST EQUIPMENT  Description  Monitor, portable, battery operated multi-function device KIT, 4-Gas, capable of monitoring LEL, O2 level, CO presence and H2S (or appropriate toxic sensor), w/ accessories, extra batteries  Current ERG guide  NIOSH Guide  LOGISTICS SECTION	1 per 1 per 1 per 4 1 per 4 1 per 4 1 per  Quantity 1 1	0 0 0 0 0 0 Inventory 0	1 1 1 4 1 1 Need 1 1 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit  Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  Trauma/ALS Kit (optional)  Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  TECHNICAL SECTION  HAZARDOUS MATERIALS SPECIALIST EQUIPMENT Description  Monitor, portable, battery operated multi-function device KIT, 4-Gas, capable of monitoring LEL, O2 level, CO presence and H2S (or appropriate toxic sensor), w/ accessories, extra batteries  Current ERG guide  NIOSH Guide  LOGISTICS SECTION SAFETY	1 per 1 per 1 per 4 1 per 4 1 per  4 1 per  Quantity 1 1 1 1	0 0 0 0 0 0 0 Inventory 0	1 1 1 4 1 1 Need 1 1 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit  Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  Trauma/ALS Kit (optional)  Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  TECHNICAL SECTION  HAZARDOUS MATERIALS SPECIALIST EQUIPMENT Description  Monitor, portable, battery operated multi-function device KIT, 4-Gas, capable of monitoring LEL, O2 level, CO presence and H2S (or appropriate toxic sensor), w/ accessories, extra batteries  Current ERG guide  NIOSH Guide  LOGISTICS SECTION SAFETY Description	1 per 1 per 1 per 4 1 per 4 1 per  4 1 per  Quantity 1 1 1 Quantity 1	0 0 0 0 0 0 0 inventory 0	1 1 1 4 1 1 Need 1 1 1 Need
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit  Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  Trauma/ALS Kit (optional) Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  TECHNICAL SECTION  HAZARDOUS MATERIALS SPECIALIST EQUIPMENT Description  Monitor, portable, battery operated multi-function device KIT, 4-Gas, capable of monitoring LEL, O2 level, CO presence and H2S (or appropriate toxic sensor), w/ accessories, extra batteries  Current ERG guide  NIOSH Guide  LOGISTICS SECTION SAFETY Description  Binoculars, 10 x 50 power, waterproof	1 per 1 per 1 per 4 1 per 4 1 per  4 1 per  Quantity 1  1  Quantity 1  Quantity 1	0 0 0 0 0 0 0 inventory 0 0	1 1 1 4 1 1 Need 1 1 Need 1 1
Gloves for water Footwear for water Dry suit Personal Flotation Device (PFD) Throw bag Swimmer rescue board  MEDICAL SECTION KITS  Description  BLS Kit  Basic Life Support Kit to care for 6 crew members or victims that meets requirements for BLS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  Trauma/ALS Kit (optional)  Advanced Life Support Kit to care for 6 crew members or victims that meets requirements for ALS supplies and equipment as found in Chapter 64E-2, Florida Administrative Code.  TECHNICAL SECTION  HAZARDOUS MATERIALS SPECIALIST EQUIPMENT Description  Monitor, portable, battery operated multi-function device KIT, 4-Gas, capable of monitoring LEL, O2 level, CO presence and H2S (or appropriate toxic sensor), w/ accessories, extra batteries  Current ERG guide  NIOSH Guide  LOGISTICS SECTION SAFETY Description	1 per 1 per 1 per 4 1 per 4 1 per  4 1 per  Quantity 1 1 1 Quantity 1	0 0 0 0 0 0 0 inventory 0	1 1 1 4 1 1 Need 1 1 1 Need

Thermal Imager Camera NFPA 1801 Compliant	1	0	1
LOGISTICS SECTION			
TASK FORCE SUPPORT			
Description	Quantity	Inventory	Need
GPS (global positioning satellite) receivers, hand held portable, WAAS capable, mapping capable, battery operated, with Carrying case, Lanyard, Data cable, Magnetic mount antenna and Cigar lighter adapter, Garmin 76CS model only	2	0	2
Search Camera	1	0	1
Consider SAT Phone and charger for deployment	1	0	1
Consider Drone & drone support supplies	1	0	1
LOGISTICS SECTION			
ELECTRICAL			
Description	Quantity	Inventory	Need
Box, junction, w/ four 20A outlets, waterproof with ground faults	1	0	1
Cord, extension, 12/3 single outlet, 50'	6	0	6
Generator, 5000W, auto idie, manuai start, spark arrestor, overload protection, 20A and one	2	0	2
Stand, Light, extendable, dual head 250-500 watt light weight	3	0	3
LOGISTICS SECTION			
EQUIPMENT MAINTENANCE			
Description	Quantity	Inventory	Need
Tool kit, mechanics, all purpose general, parts to be specified	1	0	1
LOGISTICS SECTION			
CACHE TRANSPORTATION / SUPPORT			
Description	Quantity	Inventory	Need
Enclosed Trailer of adequate size for equipment cache	1	0	1
Shelving	1	0	1
Lettering	1	0	1
Hitch Installation	1	0	1